
Developers by Headquarter Region and Therapeutic Approach






Headquarter Region

Within-graph labels represent headquarter region totals
Developers may work across multiple therapeutic approaches; sum of therapeutic approach totals will not be equivalent to regional totals
Please see "Methodology Notes" for additional details

Developers by Headquarter Region and Entity Type






Headquarter Region

^{1.} Within-graph labels represent headquarter region totals 2. Please see "Methodology Notes" for additional details

Developers by Entity Type and Therapeutic Approach






Within-graph labels represent entity type totals
Developers may work across multiple therapeutic approaches; sum of therapeutic approach totals will not be equivalent to entity type totals
Please see "Methodology Notes" for additional details

Developers by Entity Type and Headquarter Region






Entity Type

^{1.} Within-graph labels represent entity type totals 2. Please see "Methodology Notes" for additional details

Developers by Therapeutic Approach and Entity Type






Therapeutic Approach

Within-graph labels represent therapeutic approach totals
Developers may work across multiple therapeutic approaches; sum of therapeutic approach totals will not be equivalent to entity type totals
Please see "Methodology Notes" for additional details

Developers by Therapeutic Approach and Headquarter Region





Therapeutic Approach

Within-graph labels represent therapeutic approach totals
Developers may work across multiple therapeutic approaches; sum of therapeutic approach totals will not be equivalent to regional totals
Please see "Methodology Notes" for additional details

Methodology Notes for Developer Data



Methodology Notes

- 1. Developer data represent a snapshot in time; this snapshot was taken in October 2024.
- 2. *Developer data consist of the primary owners of a therapeutic drug or platform considered to be part of the durable regenerative medicine sector by ARM. This includes cell, gene, genemodified cell (GMCT), and tissue engineering therapies.
 - 2a. As durability is a key scoping factor, ARM typically excludes non-durable treatments where possible (antisense-based gene therapies, vaccines). Notable exceptions: Krystal Bio's topical cream, Vyjuvek.
 - 2b. In other reports, ARM typically allocates GMCTs to gene therapy or cell-based immunooncology (CBIO), based on indication. As indication is not present in this dataset, that allocation is not possible here.
- 3. *Developer headquarter regions are based on the location of the parent headquarters of a company, whenever known, at the highest definition of 'Parent Company' available. For singleentity and/or single-location developers, the company is considered its own parent.
- 4. Therapeutic developers may have multiple therapeutic approaches in their pipeline and/or portfolio; the sum of therapeutic approach totals may not be equivalent to developer totals.

^{*} Updated in 2023